

# STEEL CRAFTED



*Pollard*

SINCE 1921

CATALOG #3034 - 2025

# THE POLLARD BROTHERS STORY



Pollard Brothers was founded by brothers Henry and Bert Pollard in 1921. Civil and Mechanical Engineer graduates from the University of Illinois, Henry and Bert returned to the Chicago area after serving in the US Army during World War I. Drawing on their education and experience they sought to manufacture a more substantial workbench leg for the field and factory. Their knowledge and work ethic led to a nationwide reputation for the reliability and strength of their lifetime steel crafted equipment.

The cornerstone of the Pollard product line has always been the 200 Series Work Bench Leg, which is as reliable today, some eight decades after its inception as it was in 1921. From small manufacturers to institutions like the United States Armed Forces, factories and warehouses nationwide were lined with these Arc-Welded Angle Iron Bench Legs by the mid 1920s. An expanded product line was developed, evolving into a dozen product categories and hundreds of individual styles.

Shortly after serving in the US Army during World War II Bill Hein, Henry Pollard's son-in-law, and Bob Moller, Bill's longtime friend, joined the company. Bill handled production while Bob handled sales. A new manufacturing facility was built on the present site, including a warehouse, allowing Pollard Brother's Mfg to stock a substantial amount of products for quick and easy shipment. Over the following four decades Bill and Bob molded and expanded the Pollard Brothers name and product line by adding and refining items like Machine Tables, Storage Racks, Shop Stools, Stock Carts, plus Open Leg, Cabinet and Heavy Duty Plate Top Workbenches. In addition, Bill and Bob developed Pridecraft, a division of Pollard Brothers, to manufacture affordable and dependable workbenches and workbench legs for the home work shop and garage.

In the 1980s Steve Hein, Bill Hein's son, continued the family tradition, and his brother Will Hein joined the company in the 1990s. Steve and Will were able to streamline the production line, leading to the finest quality product at the best possible price. They also increased Pollard Brothers reach; taking the Pollard name from regional and national recognition to worldwide requested whenever and wherever strong, dependable lifetime Steel Crafted Equipment is needed.

Presently, Steve Hein's sons, Jason and Nathan Hein, carry on this Fourth Generation family business. Pollard Brother's full line of steel crafted equipment is now sold across the globe, through distributors and designers alike. From the home workshop to the factory floor, Pollard Brothers enjoys a long held reputation for quality and reliability as exemplified by decades of repeat business. Pollard Brothers workbenches, machine tables, shop stools, locker room benches, carts, heavy duty trucks and storage racks are just as suited for the basement, garage or home workshop as they are for the factory or jobsite. Pollard Brothers makes the products you need for the space you have. No other workbench, no other equipment, will stay as strong or last as long as Pollard Brothers.



# TABLE OF CONTENTS

## OPEN LEG WORKBENCHES

Composite Hard Top .....	4
Steel Top .....	4
Laminated Maple Top .....	5
Mobile Options .....	5

## WORKBENCH COMPONENTS

Workbench Legs .....	6
Drawers .....	6
Multiple Drawer Units .....	6
Bench Top Shelving .....	7
Stringers & Shelves .....	7
Back & End Plates .....	7

## SPECIALTY WORKBENCHES

Extra Heavy Duty .....	8
Steel/Wood .....	8
Packaging Stations .....	8

## CABINET WORKBENCHES

Lifetime Cabinet Workbenches .....	9
Enclosed Workbenches .....	9
Space Saver Benches .....	9
Mobile Maintenance Benches .....	10

## SHOP DESKS

Mobile Shop Desks .....	11
Dispatch Desks .....	11
Foreman's Desks .....	11

## TRUCKS/CARTS

A Frame Trucks .....	12
Flat Top Trucks .....	12
Closed Trucks .....	12
Heavy Duty Die Trucks .....	13
Stock Carts .....	13
High Trucks .....	13

## INDUSTRIAL STOOLS

Wood Seat/Steel Frame Stools .....	14
Steel Seat/Steel Frame Stools .....	15

## LOCKER ROOM BENCHES

Pedestal LRBs .....	16
Storage LRBs .....	16
Wall Mounted LRBs .....	16
LRB Supports .....	16

## TABLES

Lunch Tables .....	17
Utility Tables .....	17

## TOOL STANDS & CABINETS

Expandable Tool Cabinets .....	18
Tool Stands .....	19
Tool Tables .....	19

## MACHINE TABLES

Heavy Duty .....	20
Extra Heavy Duty .....	20

## STORAGE RACKS & SHELVING

Vertical Bar Racks .....	21
Utility Tray Shelving .....	21
Die Storage Racks .....	21
Formed Tray Shelving .....	21

## SUGGESTED LOAD RANGE(SLR)

The Suggested Load Range is based on an even distribution of material load with a conservative margin built in to maximize safety. Machinery vibration and load should be taken into separate consideration when selecting your bench or table.

On trucks and carts, capacity ratings are governed by the recommended load capacity per caster listed by the caster manufacturer. Each load rating is based upon a manual operation of 3 to 5 mph over even floors. This approach, coupled with Pollard's rugged construction, provides maximum performance and safety for the operator. Higher capacities are available upon request.

# OPEN LEG WORKBENCHES

Pollard's Open Leg Workbenches utilize Style 200 arc welded bench legs (Pg. 6), and Style 209 stringer (Pg. 7). Style 207 Lower shelves (Pg. 7), and Style 210 Back and Style 212 End Plates (Pg. 7) are optional. The standard Leg Heights are 30", 32¼", or 35". Special heights are available upon request. Adjustable height legs are available in two standard ranges, 30-36" and 36-42". Add the thickness of the bench top to the height of the leg to calculate the overall working height of the bench. 8'-10' benches are equipped with three legs.



## COMPOSITE HARD TOP BENCHES

The 1¾" composite hard top features a tough mar and soil resistant surface that can accommodate the heaviest and messiest of projects without showing signs of wear and tear. SLR for this style is between 3,000 & 10,000 lbs. depending on the length of the bench.



**111**

Includes: Composite Hard Top, Bench Legs, Lower Shelf, Stringer, and Back & End Plates.

Top Size	Style No.	Unit Wt.
48" x 24"	111-424	115 lbs
48" x 30"	111-430	137 lbs
60" x 24"	111-524	142 lbs
60" x 30"	111-530	160 lbs
60" x 36"	111-536	205 lbs
72" x 24"	111-624	160 lbs
72" x 30"	111-630	205 lbs
72" x 36"	111-636	239 lbs
96" x 30"	111-830	264 lbs



**114**

Includes: Composite Hard Top, Bench Legs, Lower Shelf, and Stringer.

Top Size	Style No.	Unit Wt.
48" x 24"	114-424	106 lbs
48" x 30"	114-430	127 lbs
60" x 24"	114-524	123 lbs
60" x 30"	114-530	148 lbs
60" x 36"	114-536	192 lbs
72" x 24"	114-624	148 lbs
72" x 30"	114-630	180 lbs
72" x 36"	114-636	211 lbs
96" x 30"	114-830	234 lbs



**116**

Includes: Composite Hard Top, Bench Legs, and Stringer.

Top Size	Style No.	Unit Wt.
48" x 24"	116-424	92 lbs
48" x 30"	116-430	108 lbs
60" x 24"	116-524	106 lbs
60" x 30"	116-530	125 lbs
60" x 36"	116-536	146 lbs
72" x 24"	116-624	119 lbs
72" x 30"	116-630	141 lbs
72" x 36"	116-636	156 lbs
96" x 30"	116-830	196 lbs



## STEEL TOP BENCHES

Pollard's standard 12 gauge steel bench top is rugged enough to handle most any job in most any situation and has a 1¾" Down and 1" Under form for superior strength and rigidity. SLR for this style is between 3,000 & 10,000 lbs. depending on the length of the bench.



**121**

Includes: Steel Top, Bench Legs, Lower Shelf, Stringer, and Back & End Plates.

Top Size	Style No.	Unit Wt.
36" x 24"	121-324	97 lbs
36" x 30"	121-330	112 lbs
48" x 24"	121-424	114 lbs
48" x 30"	121-430	133 lbs
60" x 24"	121-524	133 lbs
60" x 30"	121-530	157 lbs
60" x 36"	121-536	190 lbs
72" x 24"	121-624	151 lbs
72" x 30"	121-630	178 lbs
72" x 36"	121-636	217 lbs
96" x 30"	121-830	242 lbs
96" x 36"	121-836	296 lbs
120" x 30"	121-1030	287 lbs
120" x 36"	121-1036	351 lbs



**124**

Includes: Steel Top, Bench Legs, Lower Shelf, and Stringer.

Top Size	Style No.	Unit Wt.
36" x 24"	124-324	89 lbs
36" x 30"	124-330	103 lbs
48" x 24"	124-424	105 lbs
48" x 30"	124-430	123 lbs
60" x 24"	124-524	122 lbs
60" x 30"	124-530	145 lbs
60" x 36"	124-536	177 lbs
72" x 24"	124-624	139 lbs
72" x 30"	124-630	165 lbs
72" x 36"	124-636	201 lbs
96" x 30"	124-830	227 lbs
96" x 36"	124-836	280 lbs
120" x 30"	124-1030	269 lbs
120" x 36"	124-1036	332 lbs



**126**

Includes: Steel Top, Bench Legs, and Stringer.

Top Size	Style No.	Unit Wt.
36" x 24"	126-324	75 lbs
36" x 30"	126-330	84 lbs
48" x 24"	126-424	86 lbs
48" x 30"	126-430	97 lbs
60" x 24"	126-524	98 lbs
60" x 30"	126-530	112 lbs
60" x 36"	126-536	131 lbs
72" x 24"	126-624	110 lbs
72" x 30"	126-630	125 lbs
72" x 36"	126-636	147 lbs
96" x 30"	126-830	174 lbs
96" x 36"	126-836	205 lbs
120" x 30"	126-1030	202 lbs
120" x 36"	126-1036	238 lbs

# OPEN LEG WORKBENCHES



## LAMINATED MAPLE TOP BENCHES

Choose from a 1¾" or 2⅝" laminated maple. This top offers a classic look and an excellent work surface. Predrilled and countersunk for ease of assembly. SLR for this style is between 3,000 & 10,000 lbs. depending on the length of the bench.



**141**

Includes: Maple Top, Bench Legs, Lower Shelf, Stringer, and Back & End Plates.



**144**

Includes: Maple Top, Bench Legs, Lower Shelf, and Stringer.



**146**

Includes: Maple Top, Bench Legs, and Stringer.

Top Size	Style No.	Unit Wt.
36" x 24"	141-324	107 lbs
36" x 30"	141-330	128 lbs
48" x 24"	141-424	125 lbs
48" x 30"	141-430	154 lbs
60" x 24"	141-524	151 lbs
60" x 30"	141-530	183 lbs
60" x 36"	141-536	220 lbs
72" x 24"	141-624	172 lbs
72" x 30"	141-630	209 lbs
72" x 36"	141-636	253 lbs
96" x 30"	141-830	284 lbs
96" x 36"	141-836	344 lbs
120" x 30"	141-1030	339 lbs
120" x 36"	141-1036	411 lbs

Top Size	Style No.	Unit Wt.
36" x 24"	144-324	99 lbs
36" x 30"	144-330	119 lbs
48" x 24"	144-424	119 lbs
48" x 30"	144-430	144 lbs
60" x 24"	144-524	140 lbs
60" x 30"	144-530	171 lbs
60" x 36"	144-536	207 lbs
72" x 24"	144-624	160 lbs
72" x 30"	144-630	196 lbs
72" x 36"	144-636	239 lbs
96" x 30"	144-830	269 lbs
96" x 36"	144-836	328 lbs
120" x 30"	144-1030	321 lbs
120" x 36"	144-1036	392 lbs

Top Size	Style No.	Unit Wt.
36" x 24"	146-324	85 lbs
36" x 30"	146-330	100 lbs
48" x 24"	146-424	100 lbs
48" x 30"	146-430	118 lbs
60" x 24"	146-524	116 lbs
60" x 30"	146-530	138 lbs
60" x 36"	146-536	161 lbs
72" x 24"	146-624	131 lbs
72" x 30"	146-630	156 lbs
72" x 36"	146-636	183 lbs
96" x 30"	146-830	216 lbs
96" x 36"	146-836	253 lbs
120" x 30"	146-1030	254 lbs
120" x 36"	146-1036	298 lbs

## OTHER AVAILABLE TOPS

Other tops are available for Pollard's open leg workbenches. Please contact Pollard's office for more information.



**Phenolic Resin Lab Top**



**Red Oak**



**Wrapped Stainless Steel**



**Plastic Laminate**

## MOBILE OPTIONS

Pollard's standard casters are a 5" polyurethane caster. Also available are 5" steel casters, and 6" phenolic.



### 5" Polyurethane

350 lbs Capacity/Caster  
700 lbs Capacity/ Bench Leg  
1400 lbs Capacity/Bench

**166R:**  
2 rigid/2 swivel w/ Brake

**166XR:**  
All Swivel w/ Brakes



### 6" Phenolic

820 lbs Capacity/Caster  
1640 lbs Capacity/ Bench Leg  
3280 lbs Capacity/Bench

**166E:**  
2 rigid/2 swivel w/ Brake

**166XE:**  
All Swivel w/ Brakes

# WORK BENCH COMPONENTS

## WORKBENCH LEGS



Style	Standard Widths In Stock				
	23"	28"	36"	45"	55"
200	x	x	x		
201				x	x
202	x	x	x		
203	x	x	x		

Style	Standard Heights In Stock				
	30"	32 1/4"	35"	30-36"	36-42"
200	x	x	x	x	x
201				x	x
202	x	x	x	x	x
203	x	x	x		

### STYLE 200

- 2" x 2" x 1/8" Angle Iron arc welded design.
- Bench Leg tops are 4" wide for "common leg" use.
- Bench Leg tops pierced for 3/8" Bolts or 1/4" Lag Screws.
- Uprights are pierced for front or back stringer mounting.
- 5" x 2" Footpads are pierced for optional floor mounting.
- Available in adjustable heights.
- Optional steel glides or casters can replace the footpads.

### STYLE 201

- 2" x 2" x 1/8" Angle Iron arc welded design.
- Bench Leg tops are 4" wide for "common leg" use.
- Bench Leg tops pierced for 3/8" Bolts or 1/4" Lag Screws.
- Uprights are pierced for front, back, or center stringer mounting.
- 5" x 2" Footpads are pierced for optional floor mounting.
- Center upright for added strength and stability.
- Available in adjustable heights.

### STYLE 202

- 1 1/2" x 1 1/2" x 1/8" Angle Iron arc welded design.
- 2" wide bench Leg tops pierced for 3/8" Bolts or 1/4" Lag Screws.
- Uprights are pierced for front or back stringer mounting.
- 5" x 1 1/2" Footpads are pierced for optional floor mounting.
- Available in adjustable heights.
- Optional glides or casters can replace the footpads.

### STYLE 203

- 2" x 2" x 1/8" Angle Iron arc welded design.
- Bench Leg tops are 4" wide for "common leg" use.
- Bench Leg tops pierced for 3/8" Bolts or 1/4" Lag Screws.
- Uprights are pierced for back stringer mounting.
- Footpads are pierced for optional floor mounting.
- Angled Upright pierced for optional footrest.

## WORKBENCH DRAWERS

### SINGLE DRAWERS

Drawer Size - I.D.	Wood Top Style	Steel Top Style	Plate Top Style	Unit Weight
12" x 20" x 4"	220-1	221-1	221-1-HD	12-14 lbs
12" x 20" x 5"	220-2	221-2	221-2-HD	13-15 lbs
14" x 22" x 5"	220-3	221-3	221-3-HD	17-19 lbs
14" x 22" x 6"	220-4	221-4	221-4-HD	19-21 lbs
18" x 24" x 6"	220-5	221-5	221-5-HD	22-24 lbs
20" x 20" x 6"	220-6	221-6	221-6-HD	20-22 lbs

### DRAWER UNITS

Style No.	Drawer I.D.	No. of Drawers	Unit Weight
222-3	14" x 22" x 5"	2	59 lbs
223-3	14" x 22" x 5"	3	78 lbs
222-6	20" x 20" x 6"	2	75 lbs
223-6	20" x 20" x 6"	3	100 lbs

### DRAWER OPTIONS

Style No.	Item
230	Sliding Tray
240	Cylinder Lock (Keyed Alike)
250	Pull Handle
1289	Cylinder Lock (Keyed Different)

- All welded 18 gauge drawer body for heavy loads.
- 20" full extension ball bearing slides w/ disconnect.
- Drawer lag screws to wood tops.
- Drawer attachments used to accommodate steel tops.
- Attachment for padlock comes standard.
- Cylinder lock, sliding tray, and handle are optional.

- Two or three drawer units available
- Pull handles are standard.
- Attachment for padlock comes standard.
- Cylinder lock, sliding tray, and handle are optional.

- Lock can be keyed alike or different.
- Sliding tray is 1" deep and 6" wide.





# WORK BENCH COMPONENTS

## BENCH TOP SHELVING

- Shelves are made from durable 12ga steel and formed for rigidity.
- 2" x 2" x 1/8" angle uprights are pierced for multiple shelf placement.
- The light support bracket will handle additional duties; such as pneumatic lines.

Style	Shelf Dimensions	No. of Shelves	Unit Wt.
BTS-2-5	56" x 10"	2	88 lbs
BTS-1-5	56" x 10"	1	65 lbs
BTS-2-6	68" x 10"	2	98 lbs
BTS-1-6	68" x 10"	1	70 lbs

## BTS-5-2

Light fixture not included.



## BACK & END PLATES



### END PLATES

Style No.	Fits	Unit Wt.
212-A	24" Steel Top	5 lbs
212-B	29" Steel Top	6 lbs
212-C	36" Steel Top	8 lbs
213-A	24" Wood Top	4 lbs
213-B	30" Wood Top	5 lbs
213-C	36" Wood Top	7 lbs

### BACK PLATES

Style No.	Unit Wt.
210-3	4 lbs
210-4	5 lbs
210-5	7 lbs
210-6	8 lbs
210-8	10 lbs
210-10	13 lbs

- Style 212 endplates are formed to fit under a steel top.
- Style 213 endplates screw into the side of wood tops.
- Style 210 backplates fit both steel and wood tops.



### TIE RODS

Style No.	Size	Unit Wt.
211-3	Pair - 34"	7 lbs
211-4	Pair - 46"	10 lbs
211-5	Pair - 58"	12 lbs
211-6	Pair - 70"	14 lbs

- Set of two 1 1/2" x 1 1/2" x 1/8" Angle Iron supports.
- Designed to match Pollard style 200 legs.

## LOWER SHELVES



Style No.	Size	Unit Wt.
207-324	34" x 12"	10 lbs
207-329	34" x 16"	14 lbs
207-424	46" x 12"	14 lbs
207-429	46" x 16"	19 lbs
207-524	58" x 12"	17 lbs
207-529	58" x 16"	23 lbs
207-536	58" x 24"	46 lbs
207-624	70" x 12"	29 lbs
207-629	70" x 16"	39 lbs
207-636	70" x 24"	55 lbs
207-829	94" x 16"	38 lbs
207-836	94" x 24"	74 lbs
207-1029	118" x 16"	47 lbs
207-1036	118" x 24"	93 lbs

- 12ga steel is formed down in the front & up in the back for strength.
- Designed to match Pollard style 200 legs.

## FOOT RESTS



Style No.	Unit Wt.
217-3	5 lbs
217-4	6 lbs
217-5	8 lbs
217-6	9 lbs
217-8	12 lbs
217-10	15 lbs

- Footrests are made from durable 16ga steel formed for rigidity.
- Six inch footrests are pierced to attach to Pollard 203 "K" Legs.

## STRINGERS



Style No.	Unit Wt.
209-3	5 lbs
209-4	6 lbs
209-5	8 lbs
209-6	9 lbs
209-8	12 lbs
209-10	15 lbs

- Stringer are made from durable 16ga steel formed for rigidity.
- Six inch stringer is pierced to attach to Pollard Legs.

## RISER SHELVES



Style No.	Unit Wt.
216-3	18 lbs
216-4	21 lbs
216-5	24 lbs
216-6	27 lbs
216-8	36 lbs
216-10	42 lbs

- Riser shelves are 10" wide with a standard height of 12".
- Shelf is formed down 1" in front and formed up 1" in back.

# SPECIALTY WORK BENCHES

## EXTRA HEAVY DUTY WORK BENCH

Style No.	Top Size	Shpg. Wt.	# of Legs
152-324	36" x 24"	152 lbs.	2
152-330	36" x 30"	179 lbs.	2
152-424	48" x 24"	191 lbs.	2
152-430	48" x 30"	225 lbs.	2
152-524	60" x 24"	247 lbs.	3
152-530	60" x 30"	292 lbs.	3
152-624	72" x 24"	285 lbs.	3
152-630	72" x 30"	337 lbs.	3

- 3/8" thick steel plate top for higher capacities.
- Backplate comes standard and rises 3" above work surface.
- Bench comes standard with lower tie rods for rigidity.
- Special 12ga Heavy Duty Stringer for strength.
- Optional lower shelf(see pg. 7) and drawer(see pg. 6) available.
- Work bench is available with 30", 32 1/4", or 35" tall bench legs.
- SLR is 10,000 - 14,000 depending on the size of the bench.



## STEEL-WOOD WORK BENCH

Style No.	Top Size	Shpg. Wt.
131-529	60" x 29"	188 lbs.
131-629	72" x 29"	224 lbs.

- The front 11" surface of the bench is made from 2 1/2" thick Laminated Maple.
- The 12ga steel 18" rear portion is set into a rabbet joint for smooth transition.
- Bench comes standard with lower shelf(see pg. 7) and 220-3(see pg. 6) drawer.
- A pull handle and cylinder lock are included with the 14" x 22" x 5" drawer.
- Rear steel portion of bench top is capped with back and end plates.
- Work bench is available with 30", 32 1/4", or 35" tall bench legs.
- SLR is 2,000 - 5,000 depending on the size of the bench.

## PACKAGING STATION BENCH

Style No.	Top Size	Shpg. Wt.	# of Dividers
126-629-PKG	29" x 72" Steel	300 lbs.	2
116-630-PKG	30" x 72" Hard Top	316 lbs.	2
126-829-PKG	29" x 96" Steel	462 lbs.	3
116-830-PKG	30" x 96" Hard Top	484 lbs.	3

- Available in 12ga steel top, 1 3/4" composite hard top, or maple top.
- 12 ga upper shelf rises 48" above bench top .
- Bench comes standard with a 20" x 20" x 6" drawer.
- Optional lower shelf(see pg. 7) and drawer(see pg. 6) available.
- Work bench is available with 30", 32 1/4", or 35" tall bench legs.
- SLR is 5,000 - 8,000 depending on the size of the bench.





# CABINET WORK BENCHES

## LIFETIME CABINET WORK BENCHES

Style No.	Top Size	Drawer I.D.	Cabinet I.D.	Shpg. Wt.
163-530-34	60" x 30" x 1 3/4"	14" x 22" x 6"	52" x 24"	310 lbs.
163-530-35	60" x 30" x 2 5/8"	14" x 22" x 6"	52" x 24"	350 lbs.
163-630-34	72" x 30" x 1 3/4"	20" x 20" x 6"	70" x 24"	340 lbs.
163-630-34	72" x 30" x 2 5/8"	20" x 20" x 6"	70" x 24"	410 lbs.

- Available with 1 3/4" or 2 5/8" thick laminated maple top.
- Drawers come standard with pull handles and keyed cylinder locks.
- Cabinets are fitted with locking t-handles and a center shelf.
- Drawers and cabinet locks are all keyed alike.
- Center drawer includes a sliding insert tray.
- Alternate tops available; Steel, Stainless Steel, or Lab Top. Contact office for details.



163-530-35



120-530-32



140-530-32

## ENCLOSED STEEL TOP WORK BENCHES

Style No.	Bench Top	Drawer	Shpg. Wt.
120-329-32	36" x 29"	N/A	195 lbs.
120-329-32D	36" x 29"	20" x 20" x 6"	223 lbs.
120-529-32	60" x 29"	N/A	230 lbs.
120-529-32D	60" x 29"	20" x 20" x 6"	262 lbs.

## ENCLOSED MAPLE TOP WORK BENCHES

Style No.	Bench Top	Drawer	Shpg. Wt.
140-329-32	36" x 30" x 1 3/4"	N/A	220 lbs.
140-329-32D	36" x 30" x 1 3/4"	20" x 20" x 6"	248 lbs.
140-529-32	60" x 30" x 1 3/4"	N/A	256 lbs.
140-529-32D	60" x 30" x 1 3/4"	20" x 20" x 6"	288 lbs.
140A-329-32	36" x 30" x 2 5/8"	N/A	255 lbs.
140A-329-32D	36" x 30" x 2 5/8"	20" x 20" x 6"	283 lbs.
140A-529-32	60" x 30" x 2 5/8"	N/A	306 lbs.
140A-529-32D	60" x 30" x 2 5/8"	20" x 20" x 6"	338 lbs.

- 12ga steel or laminated maple (1 3/4" or 2 5/8") bench top available.
- 18 ga steel back and end plates cap bench on three sides.
- Cabinets are fitted with handles and keyed cylinder lock.
- Cabinet dimensions 31" x 24" x 21" or 55" x 24" x 21" w/ one fixed center shelf.
- An optional 20" x 20" x 6" drawer mounts under center shelf.
- SLR is 3,000 - 6,000 depending on the size of the bench.

- All welded construction for rugged use and multiple purposes.
- Six cubic feet of space in the cabinet side with one shelf.
- Three 14" x 22" x 6" drawers come standard with cylinder locks and pull handles.
- 20" Ball bearing drawer slides are full extension with disconnect and hold 100 lbs each.
- Bench tops come in two different sizes and multiple styles.
- Top drawer is furnished with a sliding tray.
- Cabinet door is reinforced and includes a locking t-handle that is keyed the same as the three drawers.

## SPACE SAVER CABINET WORKBENCH

Style No.	Bench Top	Shpg. Wt.
165-SV	12ga Steel - 24" x 36"	269 lbs.
165-SV-ST	12ga Steel - 29" x 48"	289 lbs.
165-SV-MT	Maple(1 3/4" thick) - 30" x 48"	309 lbs.
165-SV-HT	Hard Top(1 3/4" thick) - 30" x 48"	329 lbs.
165-SV-PT	Steel Plate(3/8" thick) - 30" x 48"	409 lbs.
165-SV-FMT	Maple(1 3/4" thick) - 24" x 36"	299 lbs.
165-SV-FHT	Maple(1 3/4" thick) - 24" x 36"	306 lbs.
165-SV-FPT	Steel Plate(3/8" thick) - 24" x 36"	318 lbs.



165-SV-MT

# MOBILE MAINTENANCE BENCHES

## THREE DRAWERS/CABINET MOBILE MAINTENANCE BENCHES

- All welded construction for rugged use and multiple purposes.
- Six cubic feet of space in the cabinet side with one shelf.
- Three 14" x 22" x 6" Drawers come standard with cylinder locks and pull handles.
- 20" Ball bearing drawer slides are full extension with disconnect and hold 100 lbs each.
- Bench tops come in two different sizes and multiple styles.
- 5" Polyurethane casters come standard, with other caster options available for higher capacities.
- Top drawer is furnished with a sliding tray.
- Cabinet door is reinforced and includes a locking T-handle that is keyed the same as the three drawers.

Style No.	Bench Top	Unit Wt.
165-R	12ga Steel - 24" x 36"	274 lbs.
165-ST-R	12ga Steel - 29" x 48"	296 lbs.
165-MT-R	Maple(1 3/4" thick) - 30" x 48"	316 lbs.
165-HT-R	Hard Top(1 3/4" thick) - 30" x 48"	335 lbs.
165-PT-R	Steel Plate(3/8" thick) - 30" x 48"	424 lbs.
165-FMT-R	Maple(1 3/4" thick) - 24" x 36"	306 lbs.
165-FHT-R	Maple(1 3/4" thick) - 24" x 36"	311 lbs.
165-FPT-R	Steel Plate(3/8" thick) - 24" x 36"	321 lbs.

## DUAL CABINET MOBILE MAINTENANCE BENCHES

- Same all welded construction for rugged use and multiple purposes.
- Twelve cubic feet of space in the cabinet with one adjustable shelf.
- Bench tops come in two different sizes and multiple styles.
- 5" Polyurethane casters come standard, with other caster options available for higher capacities.
- Top drawer is furnished with a sliding tray.
- Cabinet doors are reinforced and include locking t-handles that are keyed alike.

Style No.	Bench Top	Unit Wt.
165C-R	12ga Steel - 24" x 36"	170 lbs.
165C-ST-R	12ga Steel - 29" x 48"	199 lbs.
165C-MT-R	Maple(1 3/4" thick) - 30" x 48"	220 lbs.
165C-HT-R	Hard Top(1 3/4" thick) - 30" x 48"	225 lbs.
165C-PT-R	Steel Plate(3/8" thick) - 30" x 48"	303 lbs.
165C-FMT-R	Maple(1 3/4" thick) - 24" x 36"	205 lbs.
165C-FHT-R	Maple(1 3/4" thick) - 24" x 36"	210 lbs.
165C-FPT-R	Steel Plate(3/8" thick) - 24" x 36"	221 lbs.

## MOBILE MAINTENANCE BENCH OPTIONS

Style No.	Option
X	All Swivel Casters
S	Steel Casters
E	Phenolic Casters
BE	Back & End Plates
RS	Riser Shelf
FL	Floor Lock



165-FMT-R-BE



165-PT-R



165-MT-R-BE



165C-R



165-R

# STEEL SHOP DESKS



791-2020-R

## MOBILE SHOP DESKS

Style No.	Construction	Unit Weight
790-2020-R	Knocked Down	51
790-2020-RWB	Knocked Down	51
791-2020-R	All Welded	52
791-2020-RWB	All Welded	52

- Large 20" x 20" writing surface.
- Four 4" swivel casters have an optional brake(RWB).
- 16 ga Utility Box measures: 20" x 8" x 5".
- 2" x 2" x 1/8" Angle Iron Frame.
- Unit available knocked down(790) or all welded(791).
- Writing surface at 42". 48" overall unit height.
- Optional drawer available, contact office for details.



790-2020-R

## DISPATCH DESKS



175-1

Part Number	Drawer Size	Number of Compartments	Lower Support	Unit Weight
175	20" x 20" x 6"	1	Tie Rods	87
175-DC	20" x 20" x 6"	2	Tie Rods	105
175-1	20" x 20" x 6"	1	1 Tray	94
175-1-DC	20" x 20" x 6"	2	1 Tray	112
175-2	20" x 20" x 6"	1	2 Trays	113
175-2-DC	20" x 20" x 6"	2	2 Trays	131
176	32 3/4" x 23 1/2" x 4"	1	Tie Rods	92
176-DC	32 3/4" x 23 1/2" x 4"	2	Tie Rods	110
176-1	32 3/4" x 23 1/2" x 4"	1	1 Tray	99
176-1-DC	32 3/4" x 23 1/2" x 4"	2	1 Tray	117
176-2	32 3/4" x 23 1/2" x 4"	1	2 Trays	118
176-2-DC	32 3/4" x 23 1/2" x 4"	2	2 Trays	136

- Large 24" x 36" top deck set 42" off ground.
- 9" x 9" top compartment runs the 36" length of the unit.
- Two sizes of drawers available on ball bearing drawer slides.
- Tie rods leave underneath open for stools or storage.
- 1 1/2" x 1 1/2" x 1/8" angle iron uprights support 16ga tray(s).
- Keyed cylinder Locks included on drawers.
- Optional leveler glides or swivel casters are available.



176-2

## FOREMAN'S DESKS



172-4

Part Number	Description	Unit Weight
170	One Drawer Unit	107
171	One Drawer - 30" High Unit	85
172-2	Two Drawer Unit	142
172-3	Three Drawer Unit	211
172-4	Four Drawer Unit	222
172-5	Five Drawer Unit	232
172-6	Six Drawer Unit	242
173	One Drawer Unit with Cabinet Underneath	213

- Large 24" x 36" sloping top deck set 42" off ground.
- 9" x 9" top compartment runs the 36" length of the unit.
- All drawers on ball bearing drawer slides have 100lb capacity.
- Lower Shelf included on all units except 5 & 6 Drawer Unit.
- 1 1/2" x 1 1/2" x 1/8" angle iron uprights support 16ga top deck & lower tray.
- Keyed cylinder Locks and handles included on drawers.
- Shorter height (30") unit available(171).
- Optional leveler glides or swivel casters are available.

## DISPATCH & FOREMAN'S DESK OPTIONS

Style No.	Description
-R	Castors
-G	Glides

# CARTS AND TRUCKS

All trucks have three different caster options, signified by -R for 5" polyurethane(1400 lbs. SLR); -S for 5" steel(2000 lbs. SLR); or -E for 6" Phenolic(3300 lbs. SLR). These casters come with two rigid casters and two swivel casters with brakes. All swivel casters with brakes available by including an X with that option letter(-XR, -XS, & -XE).

## A FRAME TRUCKS

- Reinforced 12ga steel deck for heavy loads.
- The braced A-frame structure rises 48" above the deck.
- A-frame braces run the length of the truck.
- 12ga deck formed up to hold sheet stock, panels, or slabs.

Style No.	Deck Size	Unit Wt.
550-2436	24" x 36"	113 lbs.
550-2448	24" x 48"	128 lbs.
550-2460	24" x 60"	147 lbs.
550-3048	30" x 48"	130 lbs.
550-3060	30" x 60"	140 lbs.
550-3072	30" x 72"	178 lbs.
550-3636	36" x 36"	131 lbs.
550-3648	36" x 48"	152 lbs.
550-3660	36" x 60"	173 lbs.
550-3672	36" x 72"	194 lbs.



550-2448-E



## FLAT TOP TRUCKS

- Reinforced 12ga steel deck for heavy loads sits at 17".
- 2" x 2" x 1/8" Angle Iron handle raises to 34" and is removeable.

Style No.	Deck Size	Unit Wt.
512-2030	20" x 30"	69 lbs.
512-2036	20" x 36"	74 lbs.
512-2440	24" x 40"	81 lbs.
512-2448	24" x 48"	86 lbs.

## CLOSED TRUCKS

- 16" deep 16ga steel bin has an overall height of 34".
- 2" x 2" x 1/8" Angle Iron frame provides total support.
- Top angle iron brace can be affixed with the edge to the inside or out.

Style No.	Deck Size	Unit Wt.
514-2030	20" x 30" x 16"	121 lbs.
514-2036	20" x 36" x 16"	132 lbs.
514-2440	24" x 40" x 16"	155 lbs.
514-2448	24" x 48" x 16"	175 lbs.



514-2036-S

# CARTS AND TRUCKS



516-2448-E

## H.D. DIE TRUCKS

- 12ga steel top deck overall height of 36".
- 2" x 2" x 1/8" angle iron uprights support a 12ga steel top deck & lower tray.
- 12" x 20" x 5" drawer supports up to 100 lbs.
- 1" Pipe handle is welded at the top deck.

Style No.	Unit Size	Unit Wt.
516-2436	24" x 36" x 36"	145 lbs.
516-2448	24" x 48" x 36"	167 lbs.
516-3036	30" x 36" x 36"	162 lbs.
516-3048	30" x 48" x 36"	168 lbs.

## H.D. DIE TRUCKS

- 12ga steel top deck overall height of 32".
- 2" x 2" x 1/8" angle iron frame support a 12ga steel top.

Style No.	Unit Size	Unit Wt.
508-2430	24" x 30" x 32"	108 lbs.
508-2436	24" x 36" x 32"	120 lbs.
508-3048	30" x 48" x 32"	169 lbs.
508-3060	30" x 60" x 32"	190 lbs.



508-2436-R



509-2436-R

## STOCK CARTS

- 16ga steel trays with hemmed lips- 3" deep on 509-1630/6" deep on 509-2436.
- 1 1/2" x 1 1/2" x 1/8" angle iron uprights support the hemmed trays.
- 1" pipe handle included for easy movement.

Style No.	Unit Size	Unit Wt.
509-1630	16" x 30" x 32"	48 lbs.
509-2436	24" x 36" x 32"	95 lbs.

## HIGH TRUCKS

- Three 12ga steel trays. Top two decks can have the edges up or down.
- With an overall height of 33", the high truck has an optional pipe handle.
- The knock down version(506) has 1 1/2" x 1 1/2" x 1/8" angle iron uprights.
- The all-welded version(507) has 1 1/2" x 1 1/2" x 3/16" angle iron uprights.

Style No.	Unit Size	Unit Wt.
506-1824	18" x 24" x 33"	63 lbs.
506-2226	22" x 26" x 33"	70 lbs.
506-2430	24" x 30" x 33"	88 lbs.
506-2436	24" x 36" x 33"	95 lbs.
507-1824	18" x 24" x 33"	95 lbs.
507-2226	22" x 26" x 33"	105 lbs.
507-2430	24" x 30" x 33"	120 lbs.
507-2436	24" x 36" x 33"	135 lbs.



507-2436-R-FL



# INDUSTRIAL SHOP STOOLS



300-28-G



300-26-G



300-30



301-S-24-G



301-24-R

## STOOLS WITH WOOD SEAT & BACK

- 14" Diameter x 1 1/4" thick laminated maple seat has "butcher block" look.
- 6" Wide x 1/2" thick wood backrest is curved for comfort.
- 3/4" x 3/4" x 1/8" Angle iron stool frame has 1" Strip Braces rivited and welded for extra support.
- Sturdy 1" x 1/4" Formed Steel Strip braces keep the backrest in place.
- Optional non-marring leveler glides help protect your floor and provide a small amount of adjustment on uneven flooring.
- Stools that are 28" or taller will have two sets of frame braces.
- Optional seat swivel changes the placement of the back braces.

Seat Height	Without Backrest		With Backrest	
	Style No.	Unit Wt.	Style No.	Unit Wt.
18 1/4"	300-18	13 lbs.	301-18	20 lbs.
20 1/4"	300-20	14 lbs.	301-20	21 lbs.
22 1/4"	300-22	15 lbs.	301-22	22 lbs.
24 1/4"	300-24	16 lbs.	301-24	23 lbs.
26 1/4"	300-26	17 lbs.	301-26	24 lbs.
28 1/4"	300-28	19 lbs.	301-28	25 lbs.
30 1/4"	300-30	19 lbs.	301-30	26 lbs.

**SWIVEL SEAT:** A swivel seat will add 1" to the seat height of the stool and 5 lbs. to the unit weight. To add a swivel seat, add -s after the style number.

*Ex. 301-S-24*

**LEVELER GLIDES:** The addition of leveler glides will add 3/4"-1 1/4" to the seat height of any stool and 1 lb. to the unit weight. To add glides add -G to the end of the style number of your stool.

*Ex. 301-24-G*

**CASTERS:** When casters are added, the stool frame is cut down to retain the specified height. To add casters add -R to the style number of your stool.

*Ex. 300-28-R*

## ADJUSTABLE HEIGHT STOOLS

- 7/8" x 7/8" x 1/8" angle iron braces provide adjustment in 1" increments.
- Caster option is not available on adjustable height stools.

ADJUSTABLE HEIGHT STOOLS				
Seat Height	Without Backrest		With Backrest	
	Style No.	Unit Wt.	Style No.	Unit Wt.
18 1/4" - 24 1/4"	302-1824	18 lbs.	303-1824	24 lbs.
22 1/4" - 28 1/4"	302-2228	19 lbs.	303-2228	25 lbs.
26 1/4" - 32 1/4"	302-2632	22 lbs.	303-2632	28 lbs.
30 1/4" - 36 1/4"	302-3036	23 lbs.	303-3036	29 lbs.



302-S-3036



302-1824



303-S-1824-G



303-S-3036

# INDUSTRIAL SHOP STOOLS



310-26-G



310-26



310-28-G



311-26-G



311-S-26-G

## STOOLS WITH STEEL SEAT & BACK

- 14" Diameter 12ga steel seat with 1" strip steel rim.
- 6" Wide x 12ga steel backrest is curved for comfort.
- $\frac{3}{4}$ " x  $\frac{3}{4}$ " x  $\frac{1}{8}$ " Angle iron stool frame has 1" Strip Braces rivited and welded for extra support.
- Sturdy 1" x  $\frac{1}{4}$ " formed Steel Strip braces keep the backrest in place.
- Optional non-marring leveler glides help protect your floor and provide a small amount of adjustment on uneven flooring.
- Stools that are 28" or taller will have two sets of frame braces.
- Optional seat swivel changes the placement of the back braces.

## ADJUSTABLE HEIGHT STOOLS

- $\frac{7}{8}$ " x  $\frac{7}{8}$ " x  $\frac{1}{8}$ " angle iron braces provide adjustment in 1" increments.
- Caster option is not available on adjustable height stools.

Seat Height	Without Backrest		With Backrest	
	Style No.	Unit Wt.	Style No.	Unit Wt.
18 $\frac{1}{4}$ "	310-18	14 lbs.	311-18	20 lbs.
20 $\frac{1}{4}$ "	310-20	15 lbs.	311-20	21 lbs.
22 $\frac{1}{4}$ "	310-22	16 lbs.	311-22	22 lbs.
24 $\frac{1}{4}$ "	310-24	17 lbs.	311-24	23 lbs.
26 $\frac{1}{4}$ "	310-26	18 lbs.	311-26	24 lbs.
28 $\frac{1}{4}$ "	310-28	20 lbs.	311-28	26 lbs.
30 $\frac{1}{4}$ "	310-30	21 lbs.	311-30	27 lbs.

**SWIVEL SEAT:** A swivel seat will add 1" to the seat height of the stool and 5 lbs. to the unit weight. To add a swivel seat, add -s after the style number.

*Ex. 311-S-24*

**LEVELER GLIDES:** The addition of leveler glides will add  $\frac{3}{4}$ "-1 $\frac{1}{4}$ " to the seat height of any stool and 1 lb. to the unit weight. To add glides add -G to the end of the style number of your stool.

*Ex. 311-24-G*

**CASTERS:** When casters are added, the stool frame is cut down to retain the specified height. To add casters add -R to the style number of your stool.

*Ex. 310-28-R*

## ADJUSTABLE HEIGHT STOOLS

Seat Height	Without Backrest		With Backrest	
	Style No.	Unit Wt.	Style No.	Unit Wt.
18 $\frac{1}{4}$ " - 24 $\frac{1}{4}$ "	312-1824	18 lbs.	313-1824	24 lbs.
22 $\frac{1}{4}$ " - 28 $\frac{1}{4}$ "	312-2228	19 lbs.	313-2228	25 lbs.
26 $\frac{1}{4}$ " - 32 $\frac{1}{4}$ "	312-2632	22 lbs.	313-2632	28 lbs.
30 $\frac{1}{4}$ " - 36 $\frac{1}{4}$ "	312-3036	23 lbs.	313-3036	29 lbs.



312-1824-G



312-3036-G



312-3036



313-3036-G

# LOCKER ROOM BENCHES

## PEDESTAL LOCKER ROOM BENCHES

- 9½" or 12" wide Laminated Maple Benches are 1¼" thick.
- Maple seat has full radius on all sides and corners.
- Cast iron pedestals are notched for optional floor mounting.
- 12ga steel seat available at 12" depth.



Style No.	Bench Size	# of Pedestals	Unit Wt.
330-3	36" x 9½" x 18"	2	46 lbs
330-4	48" x 9½" x 18"	2	50 lbs
330-5	60" x 9½" x 18"	2	54 lbs
330-6	72" x 9½" x 18"	2	58 lbs
330-7	84" x 9½" x 18"	2	62 lbs
330-8	96" x 9½" x 18"	2	66 lbs
330-9	108" x 9½" x 18"	3	85 lbs
330-10	120" x 9½" x 18"	3	89 lbs
330-11	132" x 9½" x 18"	3	93 lbs
330-12	144" x 9½" x 18"	3	97 lbs

Style No.	Bench Size	# of Pedestals	Unit Wt.
330-312	36" x 12" x 18"	2	49 lbs
330-412	48" x 12" x 18"	2	54 lbs
330-512	60" x 12" x 18"	2	59 lbs
330-612	72" x 12" x 18"	2	64 lbs
330-712	84" x 12" x 18"	2	69 lbs
330-812	96" x 12" x 18"	2	91 lbs
330-912	108" x 12" x 18"	3	96 lbs
330-1012	120" x 12" x 18"	3	101 lbs
330-1212	144" x 12" x 18"	3	111 lbs

## STORAGE LOCKER ROOM BENCHES



- 12ga steel seat is formed down & under for strength.
- Grid shelf is supported by an angle iron frame.
- 1½" angle iron legs come standard with leveler glides to help protect floors and provide a small amount of adjustment.



**332-5**

Style No.	Bench Size	Unit Wt.
332-3	36" x 12" x 18½"	42 lbs
332-4	48" x 12" x 18½"	50 lbs
332-5	60" x 12" x 18½"	58 lbs
332-6	72" x 12" x 18½"	66 lbs
332-7	84" x 12" x 18½"	82 lbs
332-8	96" x 12" x 18½"	90 lbs

**332-M-5**

Style No.	Bench Size	Unit Wt.
332-M-3	36" x 12" x 19¾"	38 lbs
332-M-4	48" x 12" x 19¾"	45 lbs
332-M-5	60" x 12" x 19¾"	52 lbs
332-M-6	72" x 12" x 19¾"	59 lbs
332-M-7	84" x 12" x 19¾"	66 lbs
332-M-8	96" x 12" x 19¾"	81 lbs

## WALL MOUNTED LOCKER ROOM BENCHES

Style No.	Bench Size	# of Brackets	Unit Wt.
334-3	36" x 12"	2	23 lbs
334-4	48" x 12"	2	28 lbs
334-5	60" x 12"	2	33 lbs
334-6	72" x 12"	3	42 lbs
334-7	84" x 12"	3	47 lbs
334-8	96" x 12"	3	52 lbs
334-9	108" x 12"	4	57 lbs
334-10	120" x 12"	4	62 lbs



- 12" wide bench seat is 1¼" thick.
- Maple seat has full radius on all sides and corners.
- ½" x ½" x ⅛" angle iron brackets are 10" deep & 9" tall.

## LOCKER ROOM BENCH SUPPORTS



# LUNCHROOM & UTILITY TABLES

## INDUSTRIAL LUNCH TABLES

- Laminated maple bench seat is 9½" wide with full radius on all sides.
- 2" x 2" x ⅛" angle iron legs with center stringer create a sturdy base.
- Style 155 includes a formed 12ga steel top.
- Style 156 includes a plastic laminate top with a lumber core.
- Style 157 includes a 1¾" thick laminated maple top.
- Outrigger leg prevents tipping and swings up for cleaning.



156-830-30

Style No.	Top Dimension	Seating Cap.	Unit Wt.
155-630-30	30" x 72"	6	153 lbs.
155-830-30	30" x 96"	8	212 lbs.
155-1030-30	30" x 120"	10	246 lbs.

Style No.	Top Dimension	Seating Cap.	Unit Wt.
156-630-30	30" x 72"	6	215 lbs.
156-830-30	30" x 96"	8	292 lbs.
156-1030-30	30" x 120"	10	340 lbs.

Style No.	Top Dimension	Seating Cap.	Unit Wt.
157-630-30	30" x 72"	6	245 lbs.
157-830-30	30" x 96"	8	325 lbs.
157-1030-30	30" x 120"	10	400 lbs.

## ALL-PURPOSE UTILITY TABLES

- Oak grain plastic laminate is bonded to a composite with a lumber core.
- All welded 1½" x 1½" x ⅛" angle iron legs with support channels create a sturdy base.
- One or two optional lower shelves are available.
- Non-marring leveler glides come standard(-G), with an option for casters(-R).
- Other available table top upgrades include maple, steel, or red oak.
- Additional laminates available upon request. Inquire with office for laminate choices.

Style No.	Dimensions	# of Shelves	Unit Wt.
191-530-32	60" x 30" x 32"	0	139 lbs.
191-630-32	72" x 30" x 32"	0	155 lbs.
191-530-32-1	60" x 30" x 32"	1	186 lbs.
191-630-32-1	72" x 30" x 32"	1	210 lbs.
191-530-32-2	60" x 30" x 32"	2	235 lbs.
191-530-32-2	72" x 30" x 32"	2	265 lbs.

Style No.	Dimensions	# of Shelves	Unit Wt.
191-530-32-M	60" x 30" x 32½"	0	170 lbs.
191-630-32-M	72" x 30" x 32½"	0	195 lbs.
191-530-32-1-M	60" x 30" x 32½"	1	205 lbs.
191-630-32-1-M	72" x 30" x 32½"	1	240 lbs.
191-530-32-2-M	60" x 30" x 32½"	2	240 lbs.
191-530-32-2-M	72" x 30" x 32½"	2	285 lbs.



191-630-32-G



191-630-32-1-M-R



191-630-32-2-G

# EXPANDABLE TOOL CABINETS



758-2226-1-G



758-2226-2-G



758-2226-3-G

## ONE TRAY

Style No.	Unit Size	Unit Wt.
758-1824-1	18" x 24" x 32"	32 lbs.
758-2226-1	22" x 26" x 32"	34 lbs.
758-2430-1	24" x 30" x 32"	37 lbs.
758-2436-1	24" x 36" x 32"	41 lbs.
759-1824-1	18" x 24" x 32"	56 lbs.
759-2226-1	22" x 26" x 32"	62 lbs.
759-2430-1	24" x 30" x 32"	71 lbs.
759-2436-1	24" x 36" x 32"	77 lbs.
760-1824-1	18" x 24" x 32"	80 lbs.
760-2226-1	22" x 26" x 32"	87 lbs.
760-2430-1	24" x 30" x 32"	98 lbs.
760-2436-1	24" x 36" x 32"	107 lbs.

## TWO TRAY

Style No.	Unit Size	Unit Wt.
758-1824-2	18" x 24" x 32"	44 lbs.
758-2226-2	22" x 26" x 32"	48 lbs.
758-2430-2	24" x 30" x 32"	54 lbs.
758-2436-2	24" x 36" x 32"	61 lbs.
759-1824-2	18" x 24" x 32"	68 lbs.
759-2226-2	22" x 26" x 32"	76 lbs.
759-2430-2	24" x 30" x 32"	88 lbs.
759-2436-2	24" x 36" x 32"	97 lbs.
760-1824-2	18" x 24" x 32"	92 lbs.
760-2226-2	22" x 26" x 32"	101 lbs.
760-2430-2	24" x 30" x 32"	115 lbs.
760-2436-2	24" x 36" x 32"	127 lbs.

## THREE TRAY

Style No.	Unit Size	Unit Wt.
758-1824-3	18" x 24" x 32"	56 lbs.
758-2226-3	22" x 26" x 32"	62 lbs.
758-2430-3	24" x 30" x 32"	66 lbs.
758-2436-3	24" x 36" x 32"	73 lbs.
759-1824-3	18" x 24" x 32"	80 lbs.
759-2226-3	22" x 26" x 32"	88 lbs.
759-2430-3	24" x 30" x 32"	100 lbs.
759-2436-3	24" x 36" x 32"	109 lbs.
760-1824-3	18" x 24" x 32"	104 lbs.
760-2226-3	22" x 26" x 32"	110 lbs.
760-2430-3	24" x 30" x 32"	115 lbs.
760-2436-3	24" x 36" x 32"	125 lbs.

## EXPANDABLE CABINETS

- 1½" x 1½" x ⅛" Angle Iron Uprights.
- 16ga trays can be mounted with 2" edges turned up or down.
- Knocked down construction.
- Available options include glides(-G) & Casters(-R).
- Unit height is 32" standard ; 33-34" with glides; 36" with casters.
- One tray units are equipped with lower tie rods for support.
- Trays, enclosure panels, and door panels can be ordered separately to upgrade previously purchased units.
- An optional drawer that attaches to the bottom top or middle tray is available.

## EXTRA TRAY

Style No.	Unit Size	Unit Wt.
760-1824-T	18" x 24" x 2"	12 lbs.
760-2226-T	22" x 26" x 2"	14 lbs.
760-2430-T	24" x 30" x 2"	17 lbs.
760-2436-T	24" x 36" x 2"	20 lbs.

## BACK & SIDE PANELS

Style No.	Unit Size	Unit Wt.
760-1824-ENC	(2)18" x 28"/(1)24" x 28"	27 lbs.
760-2226-ENC	(2)22" x 28"/(1)26" x 28"	28 lbs.
760-2430-ENC	(2)24" x 28"/(1)30" x 28"	34 lbs.
760-2436-ENC	(2)24" x 28"/(1)36" x 28"	36 lbs.

## DOOR PANEL

Style No.	Unit Size	Unit Wt.
760-1824-DP	24" x 28"	24 lbs.
760-2226-DP	26" x 28"	25 lbs.
760-2430-DP	30" x 28"	27 lbs.
760-2436-DP	36" x 28"	30 lbs.

## + OPTIONS

Style No.	Options
-R	Casters
-G	Glides



759-2226-3-G



760-2226-3-G



760-2226-3-R



# TOOL STANDS & TABLES

## TOOL STANDS

- 1½" x 1½" x ⅛" Angle Iron Uprights.
- The three 16ga trays have 2" edges turned up on three sides and down in front.
- Knocked down construction.
- Available options include glides(-G) & Casters(-R).
- Unit height is 32" standard; 33-34" with glides; 36" with casters.
- An optional drawer that attaches to the bottom top or middle tray is available(740 Unit).
- Trays, enclosure panels, and door panels can be ordered; contact office for availability.

Style No.	Unit Size	Unit Wt.
730-1824	18" x 24" x 32"	47 lbs.
730-2226	22" x 26" x 32"	53 lbs.
740-1824	18" x 24" x 32"	62 lbs.
740-2226	22" x 26" x 32"	68 lbs.

## OPTIONS

Style No.	Options
-R	Casters
-G	Glides



740-2226-R



750-2226-36

## TOOL TABLES - 750

- 1½" x 1½" x ⅛" Angle Iron Uprights.
- 16ga tray can be mounted with 2" edges turned up or down.
- Knocked down construction.
- Available options include glides(-G) & Casters(-R).
- Standard unit heights are 18", 24", 30" and 36".
- Tables are braced by 1" strip or a second tray.



750-2-2436-30

## ONE TRAY UNITS

Tray Size	Style # at 18" H/ Unit Wt.	Style # at 24" H/ Unit Wt.	Style # at 30" H/ Unit Wt.	Style # at 36" H/ Unit Wt.
18" x 24" x 2"	750-1824-18/22 lbs.	750-1824-24/25 lbs.	750-1824-30/28 lbs.	750-1824-36/31 lbs.
22" x 26" x 2"	750-2226-18/24 lbs.	750-2226-24/27 lbs.	750-2226-30/30 lbs.	750-2226-36/33 lbs.
24" x 30" x 2"	750-2430-18/27 lbs.	750-2430-24/30 lbs.	750-2430-30/33 lbs.	750-2430-36/36 lbs.
24" x 36" x 2"	750-2436-18/30 lbs.	750-2436-24/33 lbs.	750-2436-30/36 lbs.	750-2436-36/39 lbs.

## TWO TRAY UNITS

Tray Size	Style # at 18" H/ Unit Wt.	Style # at 24" H/ Unit Wt.	Style # at 30" H/ Unit Wt.	Style # at 36" H/ Unit Wt.
18" x 24" x 2"	750-2-1824-18/31 lbs.	750-2-1824-24/34 lbs.	750-2-1824-30/37 lbs.	750-2-1824-36/40 lbs.
22" x 26" x 2"	750-2-2226-18/36 lbs.	750-2-2226-24/39 lbs.	750-2-2226-30/42 lbs.	750-2-2226-36/45 lbs.
24" x 30" x 2"	750-2-2430-18/42 lbs.	750-2-2430-24/45 lbs.	750-2-2430-30/48 lbs.	750-2-2430-36/51 lbs.
24" x 36" x 2"	750-2-2436-18/48 lbs.	750-2-2436-24/51 lbs.	750-2-2436-30/54 lbs.	750-2-2436-36/57 lbs.



752-2430-36-G

## TOOL TABLES - 752

- 1½" x 1½" x ⅛" Angle Iron Uprights.
- 12ga tray can be mounted with 2" edges turned up or down.
- All welded or Knocked down construction.
- Available options include glides(-G) & Casters(-R).
- Standard unit heights are 18", 24", 30" and 36".



752-1824-24-R

Tray Size	Style # at 18" H/ Unit Wt.	Style # at 24" H/ Unit Wt.	Style # at 30" H/ Unit Wt.	Style # at 36" H/ Unit Wt.
18" x 24" x 2"	752-1824-18/31 lbs.	752-1824-24/34 lbs.	752-1824-30/37 lbs.	752-1824-36/40 lbs.
22" x 26" x 2"	752-2226-18/37 lbs.	752-2226-24/40 lbs.	752-2226-30/43 lbs.	752-2226-36/46 lbs.
24" x 30" x 2"	752-2430-18/43 lbs.	752-2430-24/46 lbs.	752-2430-30/50 lbs.	752-2430-36/53 lbs.
24" x 36" x 2"	752-2436-18/48 lbs.	752-2436-24/51 lbs.	752-2436-30/54 lbs.	752-2436-36/57 lbs.

# STEEL MACHINE TABLES

## MACHINE TABLE - 800

- 1½" x 1½" x ¾" Angle Iron Uprights.
- 12ga trays can be welded with 2" edges turned up or down.
- All welded construction.
- 3" x 3" x ¾" Footpads can be pierced for optional floor mounting.
- Standard unit height is 32½".
- Available as a one, two, or three tray unit.
- Create a mobile table by adding 5" polyurethane, 5" steel, or 6" phenolic casters.
- SLR for this unit is 1,000 - 5,000 lbs. depending on the size of the table.



### TWO TRAY

Style No.	Unit Size	Unit Wt.
800-1830-2	18" x 30" x 32½"	66 lbs
800-1836-2	18" x 36" x 32½"	74 lbs
800-1848-2	18" x 48" x 32½"	90 lbs
800-1860-2	18" x 60" x 32½"	104 lbs
800-2430-2	24" x 30" x 32½"	78 lbs
800-2436-2	24" x 36" x 32½"	88 lbs
800-2448-2	24" x 48" x 32½"	100 lbs
800-2460-2	24" x 60" x 32½"	120 lbs

### THREE TRAY

Style No.	Unit Size	Unit Wt.
800-1830-3	18" x 30" x 32½"	88 lbs
800-1836-3	18" x 36" x 32½"	100 lbs
800-1848-3	18" x 48" x 32½"	124 lbs
800-1860-3	18" x 60" x 32½"	140 lbs
800-2430-3	24" x 30" x 32½"	105 lbs
800-2436-3	24" x 36" x 32½"	117 lbs
800-2448-3	24" x 48" x 32½"	151 lbs
800-2460-3	24" x 60" x 32½"	164 lbs

## MACHINE TABLE - 850

- 2" x 2" x ⅛" Angle Iron Uprights.
- 12ga decks are reinforced and formed down & under for strength.
- All welded construction.
- 3" x 3" x ¾" Footpads can be pierced for optional floor mounting.
- Standard unit height is 36".
- Available as a one two, or three tray unit.
- Create a mobile table by adding 5" polyurethane, 5" steel, or 6" phenolic casters.
- SLR for this unit is 2,000 - 10,000 lbs. depending on the size of the table.



### TWO TRAY

Style No.	Unit Size	Unit Wt.
850-2448-2	24" x 48" x 36"	131 lbs
850-2460-2	24" x 60" x 36"	157 lbs
850-2472-2	24" x 72" x 36"	177 lbs
850-2848-2	28" x 48" x 36"	145 lbs
850-2860-2	28" x 60" x 36"	175 lbs
850-2872-2	28" x 72" x 36"	199 lbs
850-3448-2	34" x 48" x 36"	166 lbs
850-3460-2	34" x 60" x 36"	201 lbs
850-3472-2	34" x 72" x 36"	229 lbs

### THREE TRAY

Style No.	Unit Size	Unit Wt.
850-2448-3	24" x 48" x 36"	175 lbs
850-2460-3	24" x 60" x 36"	207 lbs
850-2472-3	24" x 72" x 36"	232 lbs
850-2848-3	28" x 48" x 36"	190 lbs
850-2860-3	28" x 60" x 36"	231 lbs
850-2872-3	28" x 72" x 36"	266 lbs
850-3448-3	34" x 48" x 36"	220 lbs
850-3460-3	34" x 60" x 36"	265 lbs
850-3472-3	34" x 72" x 36"	310 lbs

# STORAGE RACKS & SHELVING UNITS

## VERTICAL BAR RACKS

- Stores bars vertically up to 12 ft. long.
- Heavy duty formed 12 ga shelves have 600 lbs SLR.
- Available in single sided(403) or double sided(402).

Style No.	Dimensions	No. of Sides	No. of Shelves	Unit Wt.
402	36" x 42" x 84"	2	4	210 lbs
403	24" x 36" x 84"	1	3	140 lbs



## FORMED TRAY SHELVING

- 1 1/4" x 1 1/4" x 1/8" Angle Iron Uprights pierced for flexible shelf mounting locations.
- 16ga trays can be mounted with 1" lips turned up or down.
- SLR for this unit is 500 - 1,000 lbs depending on the size of the rack.

Style No.	Unit Size	No. of Trays	Unit Wt.
404-1824	18" x 24" x 48"	5	64 lbs
404-2226	22" x 26" x 48"	5	74 lbs
404-2632	26" x 32" x 48"	5	105 lbs
404-3036	30" x 36" x 48"	5	126 lbs

## EXTRA TRAYS

Style No.	Tray Size	Unit Wt.
404-1824-T	18" x 24" x 1"	11 lbs
404-2226-T	22" x 26" x 1"	13 lbs
404-2632-T	26" x 32" x 1"	19 lbs
404-3036-T	30" x 36" x 1"	23 lbs

## UTILITY TRAY SHELVING

- 1 1/2" x 1 1/2" x 1/8" Angle Iron Uprights pierced for flexible shelf mounting locations.
- 16ga trays can be mounted with 2" lips turned up or down.
- Optional 2" dual casters or non-marring leveler glides are available.
- SLR for this unit is 500 - 1,000 lbs depending on the size of the rack.

Style No.	Unit Size	No. of Trays	Unit Wt.
408-1236	12" x 36" x 54"	5	64 lbs
408-1248	12" x 48" x 54"	5	83 lbs
408-1260	12" x 60" x 54"	5	96 lbs

Option No.	Unit Size
-G	Glides
-R	Casters



## DIE STORAGE RACKS

- 1 1/2" x 1 1/2" x 1/8" Angle Iron Uprights.
- 16ga trays can be mounted with 2" lips turned up or down.
- Knocked down construction.
- Available options include enclosed sides(ENC), full cabinet(CAB), and casters(-E).
- 1 1/2" x 1 1/2" x 3/16" Angle Iron Uprights.
- 12ga trays can be mounted with 2" lips turned up or down.
- All welded construction.
- Available options include enclosed sides(ENC), full cabinet(CAB), and casters(-E).

Style No.	Unit Size	No. of Trays	Unit Wt.
406-1824	18" x 24" x 63"	6	92 lbs
406-2226	22" x 26" x 63"	6	104 lbs
406-2430	24" x 30" x 63"	6	122 lbs
406-2436	24" x 36" x 63"	6	140 lbs

Style No.	Unit Size	No. of Trays	Unit Wt.
407-1824	18" x 24" x 63"	6	92 lbs
407-2226	22" x 26" x 63"	6	104 lbs
407-2430	24" x 30" x 63"	6	122 lbs
407-2436	24" x 36" x 63"	6	140 lbs



# THE POLLARD PROMISE

Below is an actual page from Pollard Brother's 16th catalog published in 1944, our 23rd year of business. We are very proud to say that this holds true to this day.

## *To Our Customers:*

**P**ollard Brothers are makers of good equipment, selling it at a fair price.

We try our best to ship all orders of standard equipment the day following the receipt of your order.

"The customer is always right" policy is followed one hundred per cent.

We will make good any defective workmanship.

We have thousands of satisfied customers.

We would like to add your name to our list.

Yours very truly,

POLLARD BROS. MFG. CO.

# CUSTOM BUILDS & STANDARD COLORS

Pollard has been crafting quality steel equipment since 1921, and we know that stock sizes and shapes don't always fit a workman's needs. Because of this, we are happy to work with you to create the exact product to get the job done for you. Pollard's reputation for making quality factory equipment has led customers to request specials for their homes. Pollard has successfully developed cabinets, desks, shelving units, and even barbeques. Our product designers are not afraid to take any project on, and they work quickly and efficiently to develop the precise product you require.



SPCL-120-529-32-R



SPCL-PIPE-TRUCK



Steel Flip Top Bar



SPCL-516-AL-E



502



SPCL-165-PT-7-E

## POLLARD FINISHES

Pollard Brothers equipment is finished with water based enamel paint in the standard colors of Green, Gray, Blue and Orange.

Additional colors are available upon request for an extra charge. Additionally, an upgrade to polane paint, or powder coating is available.

Wood parts of products can be ordered with a stain. Stained wood parts can affect lead time and price. Pollard can match many stains. Contact the office for details.



Pollard Green



Pollard Gray



Safety Blue



Safety Orange





**5504 N NORTHWEST HIGHWAY  
CHICAGO, IL 60630  
PHONE: 773-763-6868  
TOLL FREE: 800-551-5566  
FAX: 773-763-4466**



**WORKBENCHES  
MOBILE BENCHES  
SHOP DESKS  
STEEL DRAWERS  
HEAVY DUTY TRUCKS  
LOCKER ROOM BENCHES  
INDUSTRIAL LUNCH TABLES  
UTILITY TABLES**

**TOOL STANDS  
CABINET BENCHES  
STORAGE RACKS  
SHOP STOOLS  
BAR STOOLS  
MACHINE TABLES  
SHOP CARTS  
DRAWER UNITS**

**CABINET UNITS  
PACKING STATIONS  
SHELVING UNITS  
BAR STORAGE RACKS  
SHOP TRUCKS  
STOCK CARTS  
WALL MOUNTED BENCHES  
TOOL CABINETS**

**[www.pollardbros.com](http://www.pollardbros.com)**