

Product #	A	B	C	D	E	F	Unit Wt.
141-324-30	36"	24"	11 1/2"	12"	9 3/4"	2 1/4"	97 lbs
141-324-32	36"	24"	11 1/2"	12"	9 3/4"	2 1/4"	97 lbs
141-324-35	36"	24"	11 1/2"	12"	9 3/4"	2 1/4"	97 lbs
141-330-30	36"	30"	16 1/2"	17"	12 1/4"	2 1/4"	112 lbs
141-330-32	36"	30"	16 1/2"	17"	12 1/4"	2 1/4"	112 lbs
141-330-35	36"	30"	16 1/2"	17"	12 1/4"	2 1/4"	112 lbs
141-424-30	48"	24"	11 1/2"	12"	9 3/4"	2 1/4"	114 lbs
141-424-32	48"	24"	11 1/2"	12"	9 3/4"	2 1/4"	114 lbs
141-424-35	48"	24"	11 1/2"	12"	9 3/4"	2 1/4"	114 lbs
141-430-30	48"	30"	16 1/2"	17"	12 1/4"	2 1/4"	133 lbs
141-430-32	48"	30"	16 1/2"	17"	12 1/4"	2 1/4"	133 lbs
141-430-35	48"	30"	16 1/2"	17"	12 1/4"	2 1/4"	133 lbs
141-524-30	60"	24"	11 1/2"	12"	9 3/4"	2 1/4"	133 lbs
141-524-32	60"	24"	11 1/2"	12"	9 3/4"	2 1/4"	133 lbs
141-524-35	60"	24"	11 1/2"	12"	9 3/4"	2 1/4"	133 lbs
141-530-30	60"	30"	16 1/2"	17"	12 1/4"	2 1/4"	157 lbs
141-530-32	60"	30"	16 1/2"	17"	12 1/4"	2 1/4"	157 lbs
141-530-35	60"	30"	16 1/2"	17"	12 1/4"	2 1/4"	157 lbs
141-536-30	60"	36"	24"	24 5/8"	16 1/8"	1 1/8"	190 lbs
141-536-32	60"	36"	24"	24 5/8"	16 1/8"	1 1/8"	190 lbs
141-536-35	60"	36"	24"	24 5/8"	16 1/8"	1 1/8"	190 lbs
141-624-30	72"	24"	11 1/2"	12"	9 3/4"	2 1/4"	151 lbs
141-624-32	72"	24"	11 1/2"	12"	9 3/4"	2 1/4"	151 lbs
141-624-35	72"	24"	11 1/2"	12"	9 3/4"	2 1/4"	151 lbs
141-630-30	72"	30"	16 1/2"	17"	12 1/4"	2 1/4"	178 lbs
141-630-32	72"	30"	16 1/2"	17"	12 1/4"	2 1/4"	178 lbs
141-630-35	72"	30"	16 1/2"	17"	12 1/4"	2 1/4"	178 lbs
141-636-30	72"	36"	24"	24 5/8"	16 1/8"	1 1/8"	217 lbs
141-636-32	72"	36"	24"	24 5/8"	16 1/8"	1 1/8"	217 lbs
141-636-35	72"	36"	24"	24 5/8"	16 1/8"	1 1/8"	217 lbs


Product #	A	B	C	D	E	F	Unit Wt.
141-830-30	96"	30"	16 1/2"	17"	12 1/4"	2 1/4"	242 lbs
141-830-32	96"	30"	16 1/2"	17"	12 1/4"	2 1/4"	242 lbs
141-830-35	96"	30"	16 1/2"	17"	12 1/4"	2 1/4"	242 lbs
141-836-30	96"	36"	24"	24 5/8"	16 1/8"	1 1/8"	296 lbs
141-836-32	96"	36"	24"	24 5/8"	16 1/8"	1 1/8"	296 lbs
141-836-35	96"	36"	24"	24 5/8"	16 1/8"	1 1/8"	296 lbs
141-1030-30	120"	30"	16 1/2"	17"	12 1/4"	2 1/4"	287 lbs
141-1030-32	120"	30"	16 1/2"	17"	12 1/4"	2 1/4"	287 lbs
141-1030-35	120"	30"	16 1/2"	17"	12 1/4"	2 1/4"	287 lbs
141-1036-30	120"	36"	24"	24 5/8"	16 1/8"	1 1/8"	351 lbs
141-1036-32	120"	36"	24"	24 5/8"	16 1/8"	1 1/8"	351 lbs
141-1036-35	120"	36"	24"	24 5/8"	16 1/8"	1 1/8"	351 lbs

**SHIPS: Knocked Down**  
**SLR: 5,000 - 10,000 lbs.**

ARC WELDED MEDIUM DUTY MACHINE TABLE

**141**

- (1) 12ga Formed Bench Top
- (2) or (3) Arc Welded Bench Legs
- (1) 16ga Formed Stringer
- (1) 12ga Formed Lower Shelf
- (1) 16ga Formed Back & End Plates



Product #	A	B	C	D	E	F	Unit Wt.
141-324-30-166R	36"	24"	11½"	12"	9¾"	2¼"	115 lbs
141-324-32-166R	36"	24"	11½"	12"	9¾"	2¼"	115 lbs
141-324-35-166R	36"	24"	11½"	12"	9¾"	2¼"	115 lbs
141-330-30-166R	36"	30"	16½"	17"	12¼"	2¼"	130 lbs
141-330-32-166R	36"	30"	16½"	17"	12¼"	2¼"	130 lbs
141-330-35-166R	36"	30"	16½"	17"	12¼"	2¼"	130 lbs
141-424-30-166R	48"	24"	11½"	12"	9¾"	2¼"	132 lbs
141-424-32-166R	48"	24"	11½"	12"	9¾"	2¼"	132 lbs
141-424-35-166R	48"	24"	11½"	12"	9¾"	2¼"	132 lbs
141-430-30-166R	48"	30"	16½"	17"	12¼"	2¼"	151 lbs
121-430-32-166R	48"	30"	16½"	17"	12¼"	2¼"	151 lbs
141-430-35-166R	48"	30"	16½"	17"	12¼"	2¼"	151 lbs
141-524-30-166R	60"	24"	11½"	12"	9¾"	2¼"	151 lbs
141-524-32-166R	60"	24"	11½"	12"	9¾"	2¼"	151 lbs
141-524-35-166R	60"	24"	11½"	12"	9¾"	2¼"	151 lbs
141-530-30-166R	60"	30"	16½"	17"	12¼"	2¼"	175 lbs
141-530-32-166R	60"	30"	16½"	17"	12¼"	2¼"	175 lbs
141-530-35-166R	60"	30"	16½"	17"	12¼"	2¼"	175 lbs
141-536-30-166R	60"	36"	24"	24½"	16⅞"	1⅞"	208 lbs
141-536-32-166R	60"	36"	24"	24½"	16⅞"	1⅞"	208 lbs
141-536-35-166R	60"	36"	24"	24½"	16⅞"	1⅞"	208 lbs
141-624-30-166R	72"	24"	11½"	12"	9¾"	2¼"	169 lbs
141-624-32-166R	72"	24"	11½"	12"	9¾"	2¼"	169 lbs
141-624-35-166R	72"	24"	11½"	12"	9¾"	2¼"	169 lbs
141-630-30-166R	72"	30"	16½"	17"	12¼"	2¼"	196 lbs
141-630-32-166R	72"	30"	16½"	17"	12¼"	2¼"	196 lbs
141-630-35-166R	72"	30"	16½"	17"	12¼"	2¼"	196 lbs
141-636-30-166R	72"	36"	24"	24½"	16⅞"	1⅞"	235 lbs
141-636-32-166R	72"	36"	24"	24½"	16⅞"	1⅞"	235 lbs
141-636-35-166R	72"	36"	24"	24½"	16⅞"	1⅞"	235 lbs


Product #	A	B	C	D	E	F	Unit Wt.
141-830-30-166R	96"	30"	16½"	17"	12¼"	2¼"	260 lbs
141-830-32-166R	96"	30"	16½"	17"	12¼"	2¼"	260 lbs
141-830-35-166R	96"	30"	16½"	17"	12¼"	2¼"	260 lbs
141-836-30-166R	96"	36"	24"	24½"	16⅞"	1⅞"	314 lbs
141-836-32-166R	96"	36"	24"	24½"	16⅞"	1⅞"	314 lbs
141-836-35-166R	96"	36"	24"	24½"	16⅞"	1⅞"	314 lbs
141-1030-30-166R	120"	30"	16½"	17"	12¼"	2¼"	305 lbs
141-1030-32-166R	120"	30"	16½"	17"	12¼"	2¼"	305 lbs
141-1030-35-166R	120"	30"	16½"	17"	12¼"	2¼"	305 lbs
141-1036-30-166R	120"	36"	24"	24½"	16⅞"	1⅞"	369 lbs
141-1036-32-166R	120"	36"	24"	24½"	16⅞"	1⅞"	369 lbs
141-1036-35-166R	120"	36"	24"	24½"	16⅞"	1⅞"	369 lbs

**SHIPS: Knocked Down**  
**SLR: 1,400 - 2,100 lbs.**

ARC WELDED MEDIUM DUTY MACHINE TABLE

## 141-166R / 141-166XR

- (1) 12ga Formed Bench Top
- (2) or (3) Arc Welded Bench Legs
- (1) 16ga Formed Stringer
- (1) 12ga Formed Lower Shelf
- (1) 16ga Formed Back & End Plates
- (4) or (6) 5" Polyurethane Casters



Product #	A	B	C	D	E	F	Unit Wt.
141-324-30-166E	36"	24"	11½"	12"	9¾"	2¼"	115 lbs
141-324-32-166E	36"	24"	11½"	12"	9¾"	2¼"	115 lbs
141-324-35-166E	36"	24"	11½"	12"	9¾"	2¼"	115 lbs
141-330-30-166E	36"	30"	16½"	17"	12¼"	2¼"	130 lbs
141-330-32-166E	36"	30"	16½"	17"	12¼"	2¼"	130 lbs
141-330-35-166E	36"	30"	16½"	17"	12¼"	2¼"	130 lbs
141-424-30-166E	48"	24"	11½"	12"	9¾"	2¼"	132 lbs
141-424-32-166E	48"	24"	11½"	12"	9¾"	2¼"	132 lbs
141-424-35-166E	48"	24"	11½"	12"	9¾"	2¼"	132 lbs
141-430-30-166E	48"	30"	16½"	17"	12¼"	2¼"	151 lbs
141-430-32-166E	48"	30"	16½"	17"	12¼"	2¼"	151 lbs
141-430-35-166E	48"	30"	16½"	17"	12¼"	2¼"	151 lbs
141-524-30-166E	60"	24"	11½"	12"	9¾"	2¼"	151 lbs
141-524-32-166E	60"	24"	11½"	12"	9¾"	2¼"	151 lbs
141-524-35-166E	60"	24"	11½"	12"	9¾"	2¼"	151 lbs
141-530-30-166E	60"	30"	16½"	17"	12¼"	2¼"	175 lbs
141-530-32-166E	60"	30"	16½"	17"	12¼"	2¼"	175 lbs
141-530-35-166E	60"	30"	16½"	17"	12¼"	2¼"	175 lbs
141-536-30-166E	60"	36"	24"	24⅝"	16⅞"	1⅞"	208 lbs
141-536-32-166E	60"	36"	24"	24⅝"	16⅞"	1⅞"	208 lbs
141-536-35-166E	60"	36"	24"	24⅝"	16⅞"	1⅞"	208 lbs
141-624-30-166E	72"	24"	11½"	12"	9¾"	2¼"	169 lbs
141-624-32-166E	72"	24"	11½"	12"	9¾"	2¼"	169 lbs
141-624-35-166E	72"	24"	11½"	12"	9¾"	2¼"	169 lbs
141-630-30-166E	72"	30"	16½"	17"	12¼"	2¼"	196 lbs
141-630-32-166E	72"	30"	16½"	17"	12¼"	2¼"	196 lbs
141-630-35-166E	72"	30"	16½"	17"	12¼"	2¼"	196 lbs
141-636-30-166E	72"	36"	24"	24⅝"	16⅞"	1⅞"	235 lbs
141-636-32-166E	72"	36"	24"	24⅝"	16⅞"	1⅞"	235 lbs
141-636-35-166E	72"	36"	24"	24⅝"	16⅞"	1⅞"	235 lbs


Product #	A	B	C	D	E	F	Unit Wt.
141-830-30-166E	96"	30"	16½"	17"	12¼"	2¼"	260 lbs
141-830-32-166E	96"	30"	16½"	17"	12¼"	2¼"	260 lbs
141-830-35-166E	96"	30"	16½"	17"	12¼"	2¼"	260 lbs
141-836-30-166E	96"	36"	24"	24⅝"	16⅞"	1⅞"	314 lbs
141-836-32-166E	96"	36"	24"	24⅝"	16⅞"	1⅞"	314 lbs
141-836-35-166E	96"	36"	24"	24⅝"	16⅞"	1⅞"	314 lbs
141-1030-30-166E	120"	30"	16½"	17"	12¼"	2¼"	305 lbs
141-1030-32-166E	120"	30"	16½"	17"	12¼"	2¼"	305 lbs
121-1030-35-166E	120"	30"	16½"	17"	12¼"	2¼"	305 lbs
141-1036-30-166E	120"	36"	24"	24⅝"	16⅞"	1⅞"	369 lbs
141-1036-32-166E	120"	36"	24"	24⅝"	16⅞"	1⅞"	369 lbs
141-1036-35-166E	120"	36"	24"	24⅝"	16⅞"	1⅞"	369 lbs

**SHIPS: Knocked Down**  
**SLR: 3,300 - 4,920 lbs.**

ARC WELDED MEDIUM DUTY MACHINE TABLE

## 141-166E / 141-166XE

- (1) 12ga Formed Bench Top
- (2) or (3) Arc Welded Bench Legs
- (1) 16ga Formed Stringer
- (1) 12ga Formed Lower Shelf
- (1) 16ga Formed Back & End Plates
- (4) or (6) 5" Phenolic Casters



Product #	A	B	C	D	E	F	Unit Wt.
141-324-30-G	36"	24"	11 1/2"	12"	9 3/4"	2 1/4"	97 lbs
141-324-32-G	36"	24"	11 1/2"	12"	9 3/4"	2 1/4"	97 lbs
141-324-35-G	36"	24"	11 1/2"	12"	9 3/4"	2 1/4"	97 lbs
141-330-30-G	36"	30"	16 1/2"	17"	12 1/4"	2 1/4"	112 lbs
141-330-32-G	36"	30"	16 1/2"	17"	12 1/4"	2 1/4"	112 lbs
141-330-35-G	36"	30"	16 1/2"	17"	12 1/4"	2 1/4"	112 lbs
141-424-30-G	48"	24"	11 1/2"	12"	9 3/4"	2 1/4"	114 lbs
141-424-32-G	48"	24"	11 1/2"	12"	9 3/4"	2 1/4"	114 lbs
141-424-35-G	48"	24"	11 1/2"	12"	9 3/4"	2 1/4"	114 lbs
141-430-30-G	48"	30"	16 1/2"	17"	12 1/4"	2 1/4"	133 lbs
141-430-32-G	48"	30"	16 1/2"	17"	12 1/4"	2 1/4"	133 lbs
141-430-35-G	48"	30"	16 1/2"	17"	12 1/4"	2 1/4"	133 lbs
141-524-30-G	60"	24"	11 1/2"	12"	9 3/4"	2 1/4"	133 lbs
141-524-32-G	60"	24"	11 1/2"	12"	9 3/4"	2 1/4"	133 lbs
141-524-35-G	60"	24"	11 1/2"	12"	9 3/4"	2 1/4"	133 lbs
141-530-30-G	60"	30"	16 1/2"	17"	12 1/4"	2 1/4"	157 lbs
141-530-32-G	60"	30"	16 1/2"	17"	12 1/4"	2 1/4"	157 lbs
141-530-35-G	60"	30"	16 1/2"	17"	12 1/4"	2 1/4"	157 lbs
141-536-30-G	60"	36"	24"	24 5/8"	16 1/8"	1 1/8"	190 lbs
141-536-32-G	60"	36"	24"	24 5/8"	16 1/8"	1 1/8"	190 lbs
141-536-35-G	60"	36"	24"	24 5/8"	16 1/8"	1 1/8"	190 lbs
141-624-30-G	72"	24"	11 1/2"	12"	9 3/4"	2 1/4"	151 lbs
141-624-32-G	72"	24"	11 1/2"	12"	9 3/4"	2 1/4"	151 lbs
141-624-35-G	72"	24"	11 1/2"	12"	9 3/4"	2 1/4"	151 lbs
141-630-30-G	72"	30"	16 1/2"	17"	12 1/4"	2 1/4"	178 lbs
141-630-32-G	72"	30"	16 1/2"	17"	12 1/4"	2 1/4"	178 lbs
141-630-35-G	72"	30"	16 1/2"	17"	12 1/4"	2 1/4"	178 lbs
141-636-30-G	72"	36"	24"	24 5/8"	16 1/8"	1 1/8"	217 lbs
141-636-32-G	72"	36"	24"	24 5/8"	16 1/8"	1 1/8"	217 lbs
141-636-35-G	72"	36"	24"	24 5/8"	16 1/8"	1 1/8"	217 lbs

Product #	A	B	C	D	E	F	Unit Wt.
141-830-30-G	96"	30"	16 1/2"	17"	12 1/4"	2 1/4"	242 lbs
141-830-32-G	96"	30"	16 1/2"	17"	12 1/4"	2 1/4"	242 lbs
141-830-35-G	96"	30"	16 1/2"	17"	12 1/4"	2 1/4"	242 lbs
141-836-30-G	96"	36"	24"	24 5/8"	16 1/8"	1 1/8"	296 lbs
141-836-32-G	96"	36"	24"	24 5/8"	16 1/8"	1 1/8"	296 lbs
141-836-35-G	96"	36"	24"	24 5/8"	16 1/8"	1 1/8"	296 lbs
141-1030-30-G	120"	30"	16 1/2"	17"	12 1/4"	2 1/4"	287 lbs
141-1030-32-G	120"	30"	16 1/2"	17"	12 1/4"	2 1/4"	287 lbs
141-1030-35-G	120"	30"	16 1/2"	17"	12 1/4"	2 1/4"	287 lbs
141-1036-30-G	120"	36"	24"	24 5/8"	16 1/8"	1 1/8"	351 lbs
141-1036-32-G	120"	36"	24"	24 5/8"	16 1/8"	1 1/8"	351 lbs
141-1036-35-G	120"	36"	24"	24 5/8"	16 1/8"	1 1/8"	351 lbs

**SHIPS: Knocked Down  
SLR: 3,000 - 8,000 lbs.**

ARC WELDED MEDIUM DUTY MACHINE TABLE

## 141-G

- (1) 12ga Formed Bench Top
- (2) or (3) Arc Welded Bench Legs w/ Glides
- (1) 16ga Formed Stringer
- (1) 12ga Formed Lower Shelf
- (1) 16ga Formed Back & End Plates